PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:
Dhiraj SARDAR et al.

Serial No.: 10/543,001

Filed: May 23, 2006

For: METHOD AND APPARATUS FOR

DIAGNOSING NEOVASCULARIZED

TISSUES

Group Art Unit: 3768

Examiner: Joel F. BRUTUS

Atty. Dkt. No.: UTSJ:041US

Confirmation No.: 1190

CERTIFICATE OF ELECTRONIC TRANSMISSION 37 C.F.R. § 1.8

I hereby certify that this correspondence is being electronically filed with the United States Patent and Trademark Office via EFS-Web on the date below:

January 4, 2009

Date

Monica A. De La Paz

DECLARATION OF ANDREW TSIN UNDER 37 C.F.R. §1.132

I, Andrew Tsin, hereby declare as follows:

- I am a citizen of the United States residing at 8125 Triple Crown, Fair Oaks Ranch,
 Texas, 78015, USA.
- I am a Professor of Biochemistry and Cell Biology in the Department of Biology at the University of Texas at San Antonio and an Adjunct Professor of Ophthalmology in the Department of Ophthalmology at the University of Texas Health Science Center in San Antonio I have expertise in the area of ocular biochemistry and cell biology, as well as ophthalmic imaging, as evidenced by my extensive publications in scientific and biophtonics journals in the areas of retinoid metabolism, angiogenic cytokines (for diabetic retinopathy and macular degeneration) and optical properties of healthy and diseased retinas. A copy of my resume is attached as Appendix A.
- I am one of the inventors of the above-referenced patent application.

- 4. I have reviewed the Office Action that was mailed on August 4, 2009. I understand that the patent examiner considers the claimed invention to not be patentable because the claimed invention would be obvious to a person of ordinary skill in the field of the invention based on the teachings of the Dreher patent (U.S. Patent 5,303,709) in view of the Hay patent (U.S. Patent 5,632,282), and further in view of the Glaser patent (U.S. Patent 5,767,079), the Larrick patent (U.S. Patent 5,670,151), and/or the Trachtman patent (U.S. Patent 5,002,384). The main reference which the examiner appears to rely on is the Dreher patent.
- 5. The pending claims concerns methods and apparatuses for diagnosing an ocular disease involving neovascularization. The methods and apparatuses of the invention concern illumination of ocular tissue in a sample holder with a light beam and measurement of particular physical properties of light that is backscattered from the ocular tissue in the sample holder. The physical properties of the backscattered light that are measured include, for example, maximum intensity and/or a polarization shift.
- 6. The references cited by the patent examiner are distinct from the presently claimed invention because the references do not concern methods or apparatuses that involve measurement of a physical property of backscattered light. The Dreher patent specifically concerns methods and devices for measuring the topography and thickness of the nerve fiber layer that involve measuring the polarization shift of a *reflected* probing light. See abstract, FIG. 1, and col. 2, lines 60-68. Thus, rather than measurement of properties of backscattered light, the Dreher patent is *distinct* because it concerns measurement of a physical property of reflected light. The Trachtman patent concerns analysis of infrared light *reflected* from the patient's cornea and retina for monitoring and training eye position. The Hayes patent concerns methods for diagnosing eye disease that

involve measurement of light *reflected* from a patient's retina. The Larrick patent does not concern ophthalmic imaging, but instead concerns methods of controlling hyperproliferative disease of the integument and the eye. The Glaser patent does not concern optical diagnosis, but instead concerns an ophthalmic treatment method employing Transforming Growth Factor β .

- 7. There are fundamental differences between reflected light and backscattered light. The fundamental differences between these two types of light and matter interactions can be characterized by where the interaction of light and matter occurs, known physical laws which govern the interaction, and the types of interactions between light and matter that occur during these processes. In the most basic physical treatment, reflection is defined as the return of incident electromagnetic radiation (i.e., light) by a surface. This is discussed on page 177 of Optics Source Book. Ed. Parker, Sybil P, 1988 McGraw-Hill, ISBN 0-07-045506-6 (Exhibit A) and page 79 of Optics. Hecht E, 1987 Addison-Wesley Publishing, ISBN 0-201-11609-X (Exhibit B). For an incident beam of light, there exists a number of fundamental laws which describe how the direction of the light is changed by interaction with a "reflective" surface. The law of reflection states that the angle of incidence of light is directly equal to that of the reflected light (see Exhibit A and page 83 of Optics cited above (Exhibit C)). Reflectivity, or a direct measure of the amount of radiation reflected by a material, is dependent upon the angle of incidence, polarization state of incoming radiation, and the electromagnetic properties of the material.
- 8. In the case of scattered light, of which backscattered light is merely a special case where the angle of scattering is greater than 90 degrees, the interaction between light and matter is approached from a microscopic point of view. Scattering is described as the removal of energy from an incident wave and the subsequent remission of some portion of that

energy. This is discussed on page 293 of Optics cited above (Exhibit D). The angle at which the scattered photon is remitted is highly dependent upon the type of scattering which it undergoes. In complex structures, such as tissue, there are often multiple scattering events from the time the photon enters the material to the time it exits the material. Thus, a photon which is scattered only once will have a different final direction than a photon which is scattered three or four times. This is ultimately responsible for the statistical nature of scattered light in tissues. Due to the optically non-homogenous properties of biological tissues, it is not uncommon to see reflection at the surface, as well as transmission and scattering through biomaterials (see page 3 of Tissue Optics, Tuchin V, 2000 SPIE Press, ISBN: 0-8194-3459-0 (Exhibit E)).

- 9. In the specific case of the present invention, backscattered light is light that is scattered in such a way that it finds its way back towards the light source and occurs at a range of depths into the tissue.
- 10. In the Dreher patent, it is specifically stated that the light reflected off of the posterior or anterior surfaces of the eye offers the method of detection (see Column 2 Line 64, Column 3 Line 9, Column 5 Line 1, Column 5 Line 47, Column 10 Line 14). In contrast, the present invention utilizes light which is backscattered throughout the entirety of a tissue layer. More so, it is clearly stated in the Dreher patent that the aim of the device is to determine optic nerve thickness by exploitation of the birefringence properties of that tissue (Column 3 Line 65 Column 4 Line 20), whereas the present claimed invention seeks to determine degree of a pathological condition (neovascularization as exemplified by angiogenesis of retinal or choroidal capillaries). Thus, there are distinct differences between the methods and apparatuses of the Dreher patent and the present invention.

- 11. Further, the apparatuses described in the Dreher patent require use of a "corneal polarization compensator." See abstract. The present invention does not involve use of a corneal polarization compensator. Use of this additional component in the context of the present invention would result in loss of information in that it would likely result in loss of some portion of backscattered light. Therefore, one of ordinary skill the field would not be likely to successfully practice the claimed methods of diagnosing an ocular disease involving neovascularization with the apparatuses of the Dreher patent.
- 12. Given the fundamental differences between the light that is being measured in the Dreher patent (and other cited patents) and the present invention and the requirement for a corneal polarization compensator in the Dreher patent, a person with training in ophthalmic imaging and optics would not have been motivated to modify the Dreher patent or combine it with any of the other references cited by the Examiner to result in the claimed methods and apparatuses. None of the references cited by the patent examiner concern analysis of backscattered light, which is the heart of the present invention.
- 13. I hereby declare that all statements made herein of my knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity

of the application or any patent issued thereon.

Date Date

Andrew Tsin, Ph.D.

Professor

BIOGRAPHICAL SKETCH

Provide the following information for the key personnel and other significant contributors in the order listed on Form Page 2.

Follow this format for each person. DO NOT EXCEED FOUR PAGES.

NAME Andrew Tsin	POSITION TITLE Professor of Biology and
eRA COMMONS USER NAME ATTSIN	Adjunct Professor of Ophthalmology

EDUCATION/TRAINING (Begin with baccalaureate or other initial professional education, such as nursing, and include postdoctoral training.)

INSTITUTION AND LOCATION	DEGREE (if applicable)	YEAR(s)	FIELD OF STUDY
Dalhousie University, Halifax, N.S., Canada	BSc	1973	Biology
University of Alberta, Edmonton, AB, Canada	MSc	1976	Zoology
University of Alberta, Edmonton, AB, Canada	Ph.D.	1979	Zoology
Baylor College of Medicine, Houston, Tx, USA	Pdf	1979-81	Ophthalmology
		10.00.	op.m.ao.ogy

A. Positions and Honors:

APPOINTMENTS:

1990-Present Professor, Dept. of Biology, University of Texas at San Antonio (UTSA)

1990-Present Adjunct Professor, Department of Ophthalmology, U of Texas HSC-SA

1991-Present Director, MBRS-SCORE Program, UTSA

2007-Present Director, Center for Research and Training in the Sciences, UTSA

2008-Present Director, Research Center in Minority Institutions, UTSA

2008-Present Associate Dean of Research, College of Sciences, UTSA

FEDERAL GOVERNMENT ADVISORY COMMITTEE:

NSF Reviewer and Panelist, (1987-present)

NIH Reviewer and Site visit Team, (1987-present)

HRSA Reviewer, (1986-1999)

NIH-NIGMS Review Subcommittee, (1999-2003)

B. Selected Peer-Reviewed Publications: (Publications #1-23 published between 1977-1986)

- 24. T<u>sin, A.T.C.</u>, Flores, J.M., and Rodriguez, K.A. Visual cells, visual pigments and retinoids in the Mongolian Jird. Life Sciences, 41: 2085-2090 (1987).
- Liegner, J., <u>Tsin, A.T.C.</u> and Taboada, J. Effect of infrared laser radiation in the in-vitro isomerization of all-trans retinal to 11-cis retinal. Lasers in the Life Sciences, 2: 103-112 (1988).
- 26. <u>Tsin, A.T.C.</u>, and Chambers, J.P. Light and temperature effect on the retinyl ester hydrolase activity and visual pigment composition. Experientia, 44: 20-21 (1988).
- 27. <u>Tsin, A.T.C.</u>, Pedrozo-Fernandez, H.A., Gallas, J.M. and Chambers, J.P. Quantum yield of 3,4-didehydroretinol (vitamin A₂). Life Sciences, 43: 1379-1385 (1988).
- 28. Phillips, S.R., <u>Tsin, A.T.C.</u>, Reiter, R.J. and Malsbury, D.M. Retinoids in the bovine pineal gland. Brain Research Bulletin, 22: 259-261 (1989).
- 29. Rodriguez, K.A. and <u>Tsin, A.T.C.</u> Retinyl esters in the vertebrate neuroretina. American Journal of Physiology, 256: R255-R258 (1989).
- 30. <u>Tsin, A.T.C.</u>, Gentles, S.N. and Castillo, E.A. Selective utilization of serum vitamin A for visual pigment formation. J. Experimental Biology, 142: 207-214 (1989).

- 31. <u>Tsin, A.T.C.</u>, Phillips, T.S. and Reiter, R.J. An evaluation on the level of retinoids in the bovine pineal body. In: Advances in Pineal Research, Vol. 3, ed. S.F. Pang and RIJ. Reiter, London: John Libbey and Co. pp. 147-150 (1989).
- 32. Chambers, J.P., Kumar, P., <u>Tsin, A.T.C.</u>, and Valdez, J.J. Partial characterization of a high-affinity (Ca²⁺ + Mg²⁺) dependent ATPasfrom bovine retina. Experimental Eye Research, 50: 127-134 (1990).
- 33. Cammer, T., Malsbury, D. and <u>Tsin, A.T.C.</u> Vitamin A metabolism in the baboon eye. Brain Research Bulletin, 24: 755-757 (1990).
- 34. Sanders-Sanchez, S., Malsbury, D. Tin, A.T.C. Comparison of retinal pigment epithelial cells from the bovine eye. Experientia, 46: 498-500 (1990).
- 35. Sun, J-H, Reiter, R.J., Mata, N.L. and <u>Tsin, A.T.C.</u> Identification of 11-cis retinal and demonstration of its light-induced isomerization in the chicken pineal gland. Neuroscience Letters, 133: 97-99 (1991).
- 36. <u>Tsin, A.T.C.</u> and Malsbury, D.W. Bile salt independent retinyl ester hydrolase in the bovine eye. Brain Research Bulletin, 28: 121-125 (1992).
- 37. Mata, N.L., <u>Tsin, A.T.C.</u> and Chambers, J.P. Hydrolysis of 11-cis and all-trans-retinyl palmitate by retinal pigment epithelium microsomes. Journal of Biological Chemistry, 267: 979409799 (1992).
- 38. Suzuki, T., Terakita, A. and <u>Tsin, A.T.C.</u> Retinoid metabolism and conversion of retinol to 3-dehydroretinol. Comparative Biochemistry and Physiology, 105B: 257-261 (1993).
- 39. Yu, H-S., <u>Tsin, A.T.C.</u> and Reiter, R.J. Melatonin: history, biosynthesis and assay methodology. In: Melatonin, Biosynthesis, Physiological Effects and Clinical Application, ed. Yu, H-S., and Reiter, R.J. Boca Raton: CRC Press, pp. 1-16, 1993.
- 40. Colston, J.T. Kumar, P., Rael, E.D., <u>Tsin, A.T.C.</u>, Valdez, J.J. and Chambers, J.P. Detection of sub-nanogram quantities of mojave toxin via enzyme immunoassay with light addressable potentiometric detector. Biosensor and Bioelectronics, 8: 117-121 (1993)
- 41. <u>Tsin, A.T.C.</u>, Griffin, B.W., Mata, N.L., Yu, H-S., Williams, G.W., Crider, J.Y., and Chandler, M.L. Vitamin A homeostasis in diabetic rat. Journal of Clinical Biochemistry and Nutrition, 15: 23-31 (1993).
- 42. Sun, J.H., Reiter, R.J., Hattori, A., Kaga, K., Herbert, D.C., <u>Tsin, A.T.C.</u>
 Phototransduction-related circadian changes in indoleamine metabolism in the chick pineal gland in-vivo. J. Pineal Research, 15: 132-137 (1993).
- 43. Bustamant, J.J., Ziari, S., Ramirez, R.D. and <u>Tsin, A.T.C.</u> Retinyl ester hydrolase and the visual cycle in the chicken eye. American Journal of Physiology, 269: R1346-R1350 (1995).
- 44. Tuitoek, P., Lakey, J., Rajotte, R., Ziari, S., <u>Tsin, A.T.C.</u> and Basu, T. Effect of insulin treatment on zinc supplementation on vitamin A status in streptozotocin-induced diabetic rats. Journal of Clinical Biochemistry and Nutrition, 19: 165-173 (1995).
- 45. Tuitoek, P.J., Ziari, S., <u>Tsin, A.T.C.</u>, Rajotte, R.V., Suh, M-Y and Basu, T.P. Streptozotocin-induced diabetes in rats is associated with impaired metabolic availability of vitamin A (retinol). British Journal of Nutrition, 75: 615-622 (1996).
- 46. Ziari, S.A., Mireles, V.L., Cantu, C.G., Cervantes, M., <u>Tsin, A.T.C.</u> and Glew, B.H. The effect of eclampsia and preeclampsia on plasma vitamin A, vitamin E and ß carotene levels in Nigerian women. Journal of Perinatology (1996).
- 47. Mata, N.L., Mata, J.R. and <u>Tsin, A.T.C.</u> Comparison of retinyl ester hydrolase activities in bovine liver and retinal pigment epithelium. Journal of Lipid Research, 37: 1947-1952 (1996).
- 48. Mata, J.R., Mata, N.L. and <u>Tsin, A.T.C.</u> Substrate specificity of retinyl ester hydrolase activity in retinal pigment epithelium. J. Lipid Res. 39: 1-9, (1998).
- 49. Mata, N.L., Villazana, E. and <u>Tsin, A.T.C.</u> Co-localization of 11-cis-Retinyl Esters and Retinyl Ester Hydrolase Activity in RPE plasma Membrane. Invest. Ophtal. Vis. Sci. 39: 1312-1319, 1998.
- 50. Mata, N.L. and <u>Tsin, A.T.C.</u> Distribution of 11-cix LRAT, 11-cis RD and 11-cis REH in bovine RPE membranes. BBA. 1391: 16-22, (1998).

- 51. Sena, L.P., Vanderjagt, D.J., Rivera, C., <u>Tsin, A.T.C.</u> Muhamda, I., Mahamadoe, O., Millson, M., Pastuszyn, A. and Glew, R.H. Analysis of nutritional components of eight famine foods of the Republic of Niger. Plant Foods for Human Nutrition. 52: 17-30, 1998.
- 52. Vidro, E. Basu, T.K. and <u>Tsin, A.</u> Insulin-dependent diabetes mellitus and vitamin A metabolism. Journal of Clinical Biochemistry and Nutrition, 26: 155-160, 1999.
- 53. <u>Tsin, A.T.C.</u>, Mata, N.L., Ray, J.A. and Villazana, E.T. Substrate Specificies of Retinyl ester Hydrolases in Retinal Pigment Epithelium. Methods of Enzymology 36: 384-400, 2000.
- 54. Ju, J., Dixon, W.T., <u>Tsin, A.T.C.</u> and Basu, T.K. The Metabolic Availability of Vitamin A is Decreased at the Onset of Diabetes in BB Rats. Journal of Nutrition 130: 1958-1962, 2000
- 55. Gamble, M.V. Mata, N.L., <u>Tsin, A.T.</u>, Mertz, J.R., and Blaner, W.S. Substrate specificities and 11-cis retinoic acid inhibition of human, mouse and bovine cis retinol dehydrogenases. Biochim. Biophy. Acta 1467:3-8, 2000.
- 56. <u>Tsin, A.</u>, Mata, N., Villzana, E. and Vidro, E. New developments in the visual cycle: functional role of the 11-cis retinyl esters in the retinal pigment epithelium. HK J. Ophthalmology 5: 25-29, 2001.
- 57. Chen, M., Thomson, A., <u>Tsin, A.</u> and Basu, T. The hepatic retinyl ester hydrolase activity is depressed at the onset of diabetes in BB rats. British Journal of Nutrition 89: 231-238, 2003.
- 58. Sardar, D.K, Salinas, F.S., Perez, J.J. and <u>Tsin, A.T.C.</u> Optical characterization of bovine retinal tissues. J. Biomed. Optics 9: 624-631, 2004.
- 59. Trevino, S.G., Schuschereba, S.T., Bowman, P.D. and <u>Tsin, A.</u> Lecithin:retinol acyltransferase in ARPE-19. Experimental Eye Res. 80: 897-900, 2005
- 60. Sardar, D.J., Yow, R.M., <u>Tsin, A.T.C</u>. and Sardar, R. Optical scattering, absorption and polarization of healthy and neovascularized human retinal tissues. Journal of Biomedical Optics, 10:051501-051508, 2005.
- 61. Trevino, S.G., Villazana-Espinoza, E.T., Muniz, A. and <u>Tsin, A.T.C.</u> Retinoid cycles in the cone-dominated chicken retina. J. Expt. Biology 208:4151-4157, 2005.
- 62. Vogt, R., Unda,R., L.C. Yeh, E. Vidro*, J.C. Lee and <u>Tsin, A.T.C.</u> Bone Morphogenetic Protein -4 Enhances Vascular Endothelial Growth Factor Secretion by Human Retinal Pigment Epithelial Cells. Journal of Cellular Biochemistry 98: 1196-1202, 2006.
- 63. Villazana-Espinoza, E. Hatch, A. and <u>Tsin, A.T.C.</u> Effect of light exposure on accumulation depletion of retinyl ester in the chicken retina. Experimental Eye Research. 83: 871-876, 2006.
- 64. Muniz, A. Villazana-Espinoza, E., Thackeray, B. and <u>Tsin, A.T.C</u>. 11-cis ARAT Activity in Primary Culture of Chicken Muller Cells. Biochemistry, 45: 12265-73, 2006.
- 65. Heimsath, E.G., Unda, R., Vidro, E., Muniz, A., Villazana-Espinoza, E. and <u>Tsin, A.T.C.</u> ARPE-19 Cell Growth and Cell Functions in a Euglycemic Culture Media. Current Eye Research, 31: 1073-1080, 2006.
- 66. Sardar, D.K., Swanland, G-Y., Yow, R. M., Thomas, R. J. and <u>Tsin, A.T.C.</u> Optical properties of ocular tissues in the near infrared region; Lasers in Medical Sciences, 22: 46-52, 2007.
- 67. Muniz, A. Villazana-Espinoza, E.T., Hatch, A.L. Trevino, S.G., Allen, D.M. and <u>Tsin</u>, A.T.C. A novel cone visual cycle in the cone-dominated retina. Experimental Eye Research, 85: 175-184, 2007.
- 68. Vidro, E. Gee, S. Unda, R. Ma, J-X and <u>Tsin, A.T</u>. Glucose and TGF Modulate the Viability of Cultured Human Retinal Pericytes and Their VEGF Release. Current Eye Research, 33: 984-993, 2008.
- 69. Sardar, D., Yust, B. G. Barrera, F.J. Mimun, L.C. and Tsin, A.T.C. Optical absorption and scattering of bovine cornea, lens and retina in the visible region. Lasers in Medical Sciences, Published on-line on June 4, 2009 (DOI 10.1007/s10103-009-0677-0) prior to journal publication.

- 70. Muniz, A. Betts, B, Trevino, A. R, Buddavarapu, K. Roman, R. Ma. J-X, Tsin, A.T. Evidence of two retinaoid cycles in the cone-dominant chicken eye, Biochemistry, 48: 6854-6863, 2009.
- 71. Grisby, J., Muniz, A. Betts, B., Allen, D.M. and Tsin, A.T. Raloxifene and Tamoxifen reduce estrogen-induced cell proliferation of retinal microvascular endoothelial cells through inhibition of VEGFR-2. In preparation, 2009.

C. Research Support:

Ongoing Research Support

FY10/11 Sardar (PI)

9/01/09-8/31/10

Collaborative Research Seed Grant Program

Development of Novel Biomedical Probes Incorporating Rare-Earth Nanocrystals. The development of novel targeted contrast agents from nanomaterials for medical imaging by a multidisciplinary approach which includes physics, biology and chemistry. Role: Co-Investigator

5G12RR013646-10 Romo (PI)

08//01/08-07/31/10

NIH/NCRR/RCMI

Cajal Neuroscience Research Center (CNRC)

Establishment of neuroscience research to support core facilities and faculty research at UTSA.

Role: Program Director

5K03 Tsin (PI)

12//06/07-2/28/10

Kronkosky Foundation

A Study in Diabetic Eye Disease – Damage in Diabetic Retinopathy Due to Acrolein and its Mitigation by NBHA.

A study on the effect of acrolein on the levels of oxidized proteins and cytokines in eye and its mitigation by NBHA.

Role: PI

Completed Research Support

POC-RR 1300 Tsin (PI)

12/01/08 - 8/31/09

South Texas Technology Management – Texas Emerging Technology Fund/Office of the Governor of Texas

Adaptive Optics and Retinal Imaging

The goal of this study was to construct a prototype of an adaptive optical system as a diagnostic instrument for retinal imaging

Role: PI

GM 08194-26 Tsin (PI)

8/01/04 -7/31/07

NIH/NIGMS

Pathway of the Cone Visual Cycle

The goal of this project was to study the biochemical pathway of the novel cone visual cycle in the vertebrate retina.

Role: PI

ICGRAW-HILL SCIENCE REFERENCE SERIES

Acoustics Source Book Communications Source Book Computer Science Source Book Fluid Mechanics Source Book Meteorology Source Book Nuclear and Particle Physics Source Book Physical Chemistry Source Book Solid-State Physics Source Book

OPTICS SOURCE BOOK

Sybil P. Parker, Editor in Chief

McGraw-HILL BOOK COMPANY

New York St Louis San Francisco Auckland Bogotá Caracas Colorado Springs Hamburg Labon London Madrid Maxico Milan Monured New Doilui Oklahoma Cisy Ponama Paris San Juan São Paulo Siogaçore Sydney Tokyo Toronto

Cover: historical thermogram showing thermal effluent entering a slow-moving stream with flow from left to right. (Barnes Engineering Co.)

This meterial has appeared previously in the McGRAW-HILL ENCYCLOPEDIA OF SCIENCE AND TECHNOLOGY, 6th Edition. copyright © 1987 by McGraw-Hill, Inc. All rights

OPTICS SOURCE BOOK, copyright & 1988 by McGraw-Hill, Inc. All rights reserved. Printed in the United States of America. Except as permitted under the United States Copyright Act of 1976, no part of this publication may be reproduced or distributed in any form or by any means, or stored in a data base or retrieval system, without prior written permission of the publisher.

1234567890 DOC/DOC 8954321098

ISBN 0-07-045506-6

Library of Congress Cataloging in Publication Data:

Optics source book / Sybil P. Parker, editor in chief.
p. cm. — (McGraw-Hill science reforence series)
"This material has appeared previously in the McGraw-Hill encyclopedia of science and technology, 6th edition"—CIP t.p. verso.

Hislingraphy: p.
Includes index.

ISBN 0-07-045506-6

1. Optics. I, Parker, Sybil P. II. McGraw-Hill Company. III. Title: McGraw-Hill encyclopedia of science and technology (6th ed.) IV. Series. ii. McGraw-Hill Book 87-36630 OC355.2.069 1988 535—dc19

TABLE OF



Introduction	1
Geometrical Optics	3
Optical Imaging Systems	39
Physical Nature of Light	107
Wave Optics	131
Interaction of Light with Matter	175
Interaction of Light with Energy	245
Fields	
Lasers: Technology and Applications	261
Light Detection and Processing	307
Measurement of Light	341
Human Perception of Light	365
Contributors	385
Index	391

222 225 225 226 221 226 232 235 Scattering of electromagnetic **Cuasielastic light scattering Meteorological optics** Nonlinear optics **[yndal]** Biffect Raman effect Opalescence Trichroism radiation

PHYSICAL OPTICS

RICHAED C. LORD

in.) to about 1 millimeter (0.04 in.). More narrowly, physical optics does with the relationship into it. The citief founder of this branch of science was Michael Faraday, who in 1845 provided the first clue to the electromagnetic nature of light by showing the option properties of glass between the atomic structure of a system and the channer in which the system affects light sent The study of the interaction of electromagnetic waves in the optical range with material systems The optical range of wavelengths may be taken as the wings from about 1 canometer (4 imes 10 could be eliened by a magnetic field. Say Flavoraracti

nai dettest Datractient Dermaida (radiation); Electromanenci momentat Electrometes, Interestance of The explanation of the absorption, reliection, scattering, potentiation, and dispersion of light by a metarial merium in terms of the properties of the stoms and molecules making up the madium is the objective of physical optics. In the course of seaking this objective, physicists have sound that optical investigations are powerful methods of determining the structures of etoms and molecules and of larger systems composed thareof. São Assaemos os macrossos samenos das wavest Laken, Licht, Magnetinnenger, Polarized destt. Regestion de besteureges baseation, Bereadtion

скимая: Soverand се двугасыновать высчтом. Bibliography. M. Bom and E. Wolf, Principles of Optics, 6th ed., 1980; F. A. Jenkins, Fundamentals of Optics, 4th ed., 1976; R. S. Longhurst, Geometrical and Physical Optics, 2d ed., 1974.

REFLECTION OF ELECTROMAGNETIC RADIATION

HERWIG KOGE-NIK

The renuming or throwing back of electromagnetic radiation such as light, ultravioler rays, radio waves, or microwaves by a surface upon which the radiation is incident. In general, a reflecting surface is the boundary between two materials of different electromagnesic properties, such as the boundary between air and glass, air and water, or air and metal. Devices designed to reflect radiation are called reflectors or mirrors.

Reflection angle. The simplest reflection laws are those that govern plane waves of radication. The law of reflection concerns the incident and reflected tays (as in the case of a beam from a flaghlight striking a mirror) or, more precisely, the wave normals of the incident and reflected tays and the narmal to the reliecting surface at lie in one plane, called the plane of incileace, and that the reflection angle θ_{rel} equals the angle of incidence θ_{rel} as in Eq. (1) see

$$\theta_{zz} = \theta_{zz}$$
 (1

ceiled specular reflection. In contrast, when the surious is rough, the reflection is diffuse. An example of this is the diffuse scattering of light from a screen or from a write wall where light is l'he angles θ_{ine} and θ_{ine} are messureō botween the surface norm≥ł and the incident and terlected rays, respectively. The surface (in the above example, that of the mirror) is assumed to be smooth, with sursice inequalities small compared to the wavelength of the tadiation. This results in soeturned through a whole range of different angles.

gates asseptially unattenuated, while radiation panarating a conducting material is beavily attan-uated. Transparent materials are also called dielectrics. In the wavelength range of visible light, typical dielectrics are giass, quartz, and warer. Conducting materials are usually metals such as the wavelength of the radiation. Reflecting materials are divided into two groups: transparent traterials and opeque conducting materials. Radiation penetrating a transparent material gropsdepends on the angle of incidence, the polarization of the radiation, and the elecaromagnetic properties of the materials forming the boundary surface. These properties usually change with t is defined as the ratio of the invensions of the reflected and incident radiation. The reflectivity Reflectivity. The rellectivity of a surface is a measure of the amount of reflected radiation.



SECOND EDITION

EUGENE HECHT Adelphi University

With Contributions by Alfred Zajac



ADDISON-WESLEY PUBLISHING COMPANY Reading, Massachusetts • Menio Park, California • Don Mills, Ontario Wokingham, England - Amsterdam - Sydney - Singapore Tokyo = Madrid = Bogotá = Santlago = San Juan

Sponsoring editor: Bruce Spatz
Production supervisors: Margaret Pluette and Lorraine Ferrier
Test dasigner: Joyce Weston
Illustrators: Oxford Illustrators
Art consultant: Loretta Bailey
Manufacturing supervisor: Ann DeLacey

Library of Congress Cataloging-in-Publication Data

Hecht, Eugene.
Optics.
Bibliography: p.
Includes indexes.
1. Optics. I. Zajac, Alfred. II. Title.
QC355.2.1442 1987 535 96-14067
ISBN 0-201-11609-X

Reprinted with corrections May, 1990.

Copyright © 1987, 1974 by Addison-Wesley Publishing Company, Inc. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the publisher. Printed in the United States of America. Published simultaneously in Canada.

9 10 HA 95949392

actical improvement over the Cauchy equation, that where $\lambda \gg \lambda_{0j}$. Cauchy's equation is an imation of Scilmeier's. Hint: write the above h that $\lambda_{0,P_{0}j}=c$. This formulation is a considerion with only the first term in the sum; expand e binomial theorem; take the square m of n^2 oand again.

td carbon atoms in the carbon monoxide le, it must provide 11 eV of energy. What is the If an ultraviolet photon is to dissociate the oxym frequency of the appropriate radiation?



IE PROPAGATION FLIGHT

when applying macroscopic techniques, as indeed we scattering process is responsible for the index of refractually, even though it is not a simple matter to treat analytically. It should, however, he kept in mind even atoans. As we know from the previous chapter, the tion, as well as the resultant reflected and refracted waves. This atomistic description is quite satisfying concepshall later on.

any system by applying Maxwell's equations and the Section 10.1). So we shall take a somewhat different We now seek to determine the general principles governing or at least describing the propagation, reflecion, and refraction of light. In principle it should be possible to trace the progress of radiant energy through associated boundary conditions. In practice, however, this is often an impractical if not an impossible task (see route, stopping, when appropriate, to verify that our results are in accord with electromagnetic theory.

4.1 INTRODUCTION

Huygens's principle, which has served in turn to describe mechanical aether waves, electromagnetic waves, and now, after three hundred years, applies to quantum material's electric and magnetic properties. It is an ntriguing fact that many of the basic principles of option are predicated on the wave aspects of light but are stances, crossing interfaces, and being reflected and refracted in the process. For the most part, we shall envision light as a classical electromagnetic wave whose velocity through any medium is dependent upon that completely independent of the exact nature of the wave. As we shall see, this accounts for the longevity of We now consider a number of phenomena related to he propagation of light and its interaction with material media. In particular, we shall study the characteristics of lightwaves as they progress through various sub-


will depend on the spatial distribution of the scattering Suppose, for the moment, that a wave impinges on the interface separating two different media (e.g., a piece of glass in air). As we know from our everyday experiences, a portion of the incident flux density will be diverted back in the form of a reflected wave, while he remainder will be transmitted across the boundary as a refracted wave. On a submicroscopic scale we can envision an assemblage of atoms that statter the incident radiant energy. The manner in which these emitted light wavelets superimpose and combine with each other

THE LAWS OF REFLECTION AND REFRACTION 4.2


4.2.1 Huygens's Principle

emanating from a monochromatic point source S in a homogeneous medium. Clearly, if the radius of the 4.1 shows a small portion of a spherical wavefront Σ wavefront as shown is 1, at some later time t it will simply be $(r \div u)$, where u is the phase velocity of the wave. Recall that a wavefront is a surface over which an optical disturbance has a constant phase. As an illustration, Fig.

suppose the incident wave comes in at some gle, as indicated in Fig. 4.5. Clearly, it sweeps te interface again, essentially splitting into two ne reflected and one refracted. Let's follow the of a typical front in Fig. 4.6, envisioning the as if it were a series of snapshots taken in e intervals of time 7. Start when X1 makes ith the interface at point a. At that point, both ted and transmitted wavefronts begin, so a, s on both fronts, can be taken as a source of downwardly emitted wavelet traveling at a pwardly emitted wavelet traveling at a speed tine t_1 the plane Σ , will have moved a distance ident medium of $v_i \ell_i$, so that b then correfrom b' into the incident and transmitting b'. Presumably, two wavelets will then propatributing to the reflected, Y., and transmitrefronts. These wavelets are shown here after Now focus on another point, say, b on Σ_i .







ction and transmission of plane waves.




Figure 4.6 Reflection and transmission at an interface via Huygens's principle.

should be self-explanatory. Figure 4.7 is a somewhat simplified version in which θ_i , θ_r , and θ_t , as before, are the angles of incidence, reflection, and transmission (or refraction), respectively. Notice that

$$\frac{\sin \theta_i}{BD} = \frac{\sin \theta_i}{AC} = \frac{\sin \theta_i}{AE} = \frac{1}{AD}.$$
 (4.1)

By comparison with Fig. 4.6, it should be evident that

$$BD = v_{tt}$$
 $\overline{AC} = v_{tt}$ $\overline{AE} = v_{t\delta}$

so substituting into Eq. (4.1) and canceling 4, we have

$$\frac{\sin \theta_i}{v_i} = \frac{\sin \theta_r}{v_i} = \frac{\sin \theta_i}{v_i}.$$
 (4.2)

It follows from the first two terms that the angle of incidence equals the angle of reflection, that is,

$$\theta_i = \theta_r$$
 (4.3)

book entitled Catoptries, which was purported to have Known as the law of reflection, it first appeared in the been written by Fuclid.





Figure 4.7 Reflected and transmitted wavefrones at a given instant.

TERING AND POLARIZATION

Introduction to Scattering

in to understand many apparently unrelated t in terms of differing aspects of the same tomic processes, and so we again return to 1. When an electromagnetic wave impinges or molecule it interacts with the bound ud, imparting energy to the atom. The effect red as if the lowest energy or ground state were set into vibration. The oscillatory f the electron cloud is equal to the driving , that is, the frequency of the harmonic e lightwave. The amplitude of the oscillaelatively large only when ν is in the vicinity ant frequency of the atom. In fact, at respemploy the simple description of the atom g in its ground state; upon absorbing a ng the resonating frequency), it makes the an excited state. In dense media, the atom ly return to its ground state, having dissiass energy thermally. In rarefied gases the terally make the downward transition by oton, an effect known as resonance radiation. cies below or above resonance, the elecg with respect to the nucleus may be regaring electric dipoles, and as such they will



ering of a spherical wavelet.

generally reradiate electromagnetic energy at a frequency coinciding with that of the incident light. This nonresonant emission propagates out in the dipole radiation pattern of Fig. 3.21. The removal of energy from an incident wave and the subsequent reemission of some pation of that energy is known as scattering (Fig. 8.33). It is the underlying physical mechanism operative in reflection, refraction, and diffraction; the scattering process is fundamental indeed.

In addition to electron-oscillators, which generally have resonances in the ultraviolet, there are atomicoscillators, which correspond to the vibration of the offistituent atoms within a molecule. Because of their large masses, atomic-oscillators usually have resonances in the infrared. Moreover, they have relatively small vibrational amplitudes and are therefore of little contern here.

The amplitude of an oscillator, and thus the amount of energy removed from the incident wave, increases as the frequency of the wave approaches a natural frequency of the atom. For low-density gases, in which atomic interactions are negligible, absorption will be insignificant, and the reradiated or scattered wave will carry off increasingly more energy as the driving frequency approaches a resonance. This results in some rather interesting effects when the atom's natural frequencies are in the ultraviolet and the incident wave is in the visible region. In that case, as the frequency of the incoming light increases, more and more of it will be elastically scattered. As an example, imagine that you are outside on a bright clear morning. The sky is a brilliant blue, and you are surrounded, even inundated, with blue light. Sunlight streaming into the atmosphere from one direction is scattered in all directions by the air molecules. Without an atmosphere, the dayiune sky would be as black as the void of space, a point well made in the Apollo lunar photographs (Fig. 8.34). You would then see only light that shone directly atyon. With an atmosphere, the red end of the spectrum is, for the most part, undeviated, whereas the blue or high-frequency end is substantially scattered. This highfrequency scattered light reaches the observer from many directions, making the entire sky appear bright and blue (Fig. 8.35). When the Sun is very low in the sky, its rays pass through a great thickness of air. The




Figure 8.34 A half-Earth hanging in the black Moon sky. (Photo courtesy NASA)




Figure 8.35 Scattering of sky light.

- Fracial and Wavelet Image Compression Techniques, Stephen Welstead, Vol. 7740
- Tissue Opticx: Light Scartering Methods and Instruments for Medical Diagnoris. Valery Tuchin Analysis of Sampled Imagins, Systems, R. H. Vollmerhausen and R. G. Driggers, Vol. T739
- Fundanenius de Electro-Óptica para ingenieros, Glena D. Borctssa, traaslated by Javier Alda, Vol.
 - Infrared Design Exemples, William L. Wolfe, Vol. 1736
- Practical Applications of Infrared Thermal Sensing and Imaging Equipment, Second Edition, Sensor and Data Pusion Concepts and Applications, Second Edition, L. A. Klein, Vol. T735
- Design and Mounting of Prisms and Smail Mirrors in Optical Instruments, Faol R. Yeder, Jr., Vol. Fundamentals of Machine Vision, Harley R. Myler, Vol. 7753
- Basic Electro-Optics for Electrical Engineers, Glean D. Boreman, Vol. 1731
 - Optical Engineering Fundamentals, Bruce H. Walker, Vol. 1730

 - Lithography Process Control, Harry J. Levinson, Vol. 7728 Introduction to Radiemetry. William L. Wolfe, Vol. 1729
- An Introduction to Interpretation of Graptic Imoges, Sergey Ablancyko, Vol. TI27
- Thermal Infrared Characterization of Ground Targets and Buckgrounds, P. Jacobs, Vol. TT26 Introduction to Imaging Spectrometers, William L. Wolfe, Vol. 7125
 - Introduction to Infrared System Design, William L. Wolfe, Vol. TT24
- Introduction to Computer-based Imaging Systems, D. Sinba, E. R. Dougherty, Vol. T723 Optical Communication Receiver Design, Stephen B. Alexander, Vol. TT22
 - Mounting Lenses in Optical Instruments, Paul R. Yoder, Jr., Vol. 1721
- Optical Design Fundamentals for Infrared Systems, Max J. Riedl, Vol. TT20
- Integration of Losers and Fiber Optics into Robotic Systems, Janusz A. Masszalez, Elzbieta A. An Introduction to Real-Time Imaging. Edward R. Dougherry, Fhillip A. Laplanc, Vol. TT19 Introduction to Wavefrant Sensors, Joseph M. Geary, Vol. T718
 - An introduction to Nonlinear Image Processing, E.R. Dougharty, J. Astola, Vol. Tr16
 - Introduction to Optical Testing, Joseph M. Geaty, Vol. TT15
- Image Formation in Low-Voltage Scanning Electron Microstropy, L. Reiwer, Vol. 17712
 - Infrared Window and Dome Materials, Daniel C. Eburis, Vol. TT10 Diczonaphthoguinons-based Resists, Ralph Damtest, Vol. 1711
- An Introduction to Morphological Image Processing, Edward R. Dougherry, Vol. Trg
- An Introduction to Optics in Computers, Henri H. Arsenault, Yenlong Sheng, Vol. 1718 Digital Intege Compression Techniques, Majid Rabbani, Paul W. Jones, Vol. 777
 - Aberration Theory Made Simple, Virendra N. Mahajar, Vol. TT6

 - Single-Frequency Semiconductor Lasers, Icas Baus, Vol. 775
- An Introduction to Biological and Arificial Neural Newarks for Pattern Recognition, Steven K. Luser Beum Propagation in the Atmosphere, Hugo Weichel, Vol. TY3
 - Infrared Fiber Optics, Paul Klocek, George H. Sigel, Jr., Vol. T73
- Spectrally Selective Surfaces for Heating and Cooling Applications, C. G. Gravuvist, Vol. 171

Instruments for Medical Diagnosis Light Scattering Methods and

TISSUE OPTICS

Valery Tuchin

Institute of Precision Mechanics and Control of the Russian Academy of Sciences Saratov State University

Tutorial Texts in Optical Engineering Volume TT38

Donald C. O'Shea, Series Editor Georgia Institute of Technology



SPIE PRESS

A Publication of SPIE—The International Society for Optical Engineering Bellingham, Washington USA

Library of Congress Cataloging-in-Publication Data

Tuchin, V. (Valerii)

Tissue optics: light scattering methods and instruments for medical diagnosis I Valery Tuchin.
p. cm. — (Turcrial texts in optical engineering; v. T738)
Includes bibliographical refraences and index.
ISBN 0-8194-3459-0 (softcover)
1. Tissues—Optical properties. 2. Light—Scattering. 3. Diagnostic imaging. 4. Imaging systems in medicine. I. Title. II. Series.
QH642-T83 2000

99-053491
616.0754—dc21

Published by

SPIE—The International Society for Optical Engineering P.O. Box 10
Sellingham, Washington 98227-0010
Phone: 360/647-1445
Email: spie@spie.org
WWW: www.spie.org

Copyright \odot 2000 The Society of Photo-Optical Instrumentation Engineers

All rights reserved. No part of this publication may be reproduced or distributed in any form or by any means without written permission of the publisher.

Printed in the United States of America.

To my grandkids, Dasha, Zhenya, and Stepa

OP I ICAL PHOPERTIES OF TISSUES WITH STRONG (MULTIPLE) SCATTERING

This first chapter introduces the problem of light (laser beams) transport within strongly (multiple) scattering tissues, such as skin, breast, hrain, and vessel wall. Basic principles and theoretical descriptions using radiation transfer theory or Monte Carlo (MC) simulation are considered. Methods for solving the inverse problem of finding tissue optical parameters and their advantages and drawbacks are analyzed. Since contrast of optical images always depends on the optical properties of the tissues under investigation, the specifics of controlling tissue optical parameters are considered. The propagation of short pulses and photon-density diffusion waves in scattering and absorbing media is analyzed and the prospects of these methods for tissue spectroscopy and tonography are discussed. Polarization phenomena and optothermal and optoacoustic interactions in strongly scattering tissues are described. A discrete-particle model of soft tissue is presented. The design and characterization of tissue-like phantoms for optical diagnostics are described.

1.1 PROPAGATION OF CONTINUOUS WAVE LIGHT IN TISSUES

1.1.1 Basic principles and major absorbers

Biological tissues are optically inhomogeneous and absorbing media whose average refractive index is higher than that of air. This is responsible for partial reflection of the radiation at the tissue/air interface (Fresnel reflection), while the remaining part penetrates the tissue. Multiple scattering and absorption are responsible for laser beam broadening and eventual decay as it travels through a tissue, whereas bulk scattering is a major cause of the dispersion of a large fraction of tadiation in the backward direction. Cellular organelles such as mitochondria are the main scatterers in various tissues.

Absorbed light is converted to heat or radiated in the form of fluorescence, it is also consumed in photobiochemical reactions. The absorption spectrum depends on the type of predominant absorption centers and water content of tissues (see Figures 1.1-1.4). Absolute values of absorption coefficients for typical tissues lie in the range 10^{-2} to 10^4 cm⁻¹.1-4,6,9-152829,31,37-42.56,57,72,86-91 In the ultraviolet (UV) and infrared (IR) ($\lambda \ge 2$ μ m) spectral regions, light is readily absorbed,

. i